Australian Journal of Experimental Agriculture

Index to Volume 34

Abraham B.
See Barson M. M. *et al.* 1143
Adisarwanto T.
See McDonald G. K. *et al.* 395
Akilan K., Considine J. A., Marshall J. K.
Growth and flower production of container-grown Geraldton wax cvv. Alba and Purple Pride at different levels of irrigation. 1217
Allen H. M.
Register of Australian winter cereal cultivars
Triticum aestivum spp. *vulgare* cv. Swift. 870
Allen J. G.
See Croker K. P. *et al.* 139
Andrews J. A.
See Gault R. R. *et al.* 401
Angus J. F.
See Williams R. L. *et al.* 381, 927
Angus J. F., Ohnishi M., Horie T., Williams R. L.
A preliminary study to predict net nitrogen mineralisation in a flooded rice soil using anaerobic incubation. 995
Archer J. A., Judson G. J.
Selenium concentrations in tissues of sheep given a subcutaneous injection of barium selenate or sodium selenate. 581
Ardales S.
See Roger P. A. *et al.* 1057
Armour J. D.
See Shaw K. A. *et al.* 173
Asirifi K.-N., Morgan W. C., Parbery D. G.
Suppression of sclerotinia soft rot of lettuce with organic soil amendments. 131
Axelsen A.
See Freer M. *et al.* 1

Bacon P. E.
See Beecher H. G. *et al.* 977, 987
Baldi G.
See Callegarin A. M. *et al.* 911
Banks L. W.
See Gault R. R. *et al.* 401
Barbetti M. J., Nichols P. G. H.
Field resistance in *Trifolium subterraneum* to *Uromyces trifolii-repentis* and *Cercospora zebrina.* 1131
Barchia I. M.
See Sarooshi R. A. *et al.* 419
Barclay I. R.
Register of Australian winter cereal cultivars
Triticum aestivum ssp. *vulgare* cv. Cadoux. 856
Barclay R. M., Hebb D. M., Brockwell J.
Differential rhizobial colonisation of the roots of sown and volunteer annual species of *Medicago* in an acid soil. 745
Barnes J. A., Zischke B. H., Blight G. W., Chapman J. C.
Minilee and Mickylee are mini-watermelons with potential for the Australian market. 673
Barr A. R.
Register of Australian winter cereal cultivars
Avena sativa
cv. Bandicoot 700
cv. Potoroo 706
See McDaniel M. E. *et al.* 701
Barrass I. C., Jerie P., Ward S. A.
Aerial dispersal of first and second-instar longtailed mealybug, *Pseudococcus longispinus* (Targioni Tozzetti), (Pseudococcidae: Hemiptera). 1205
Barrs H. D., Prathapar S. A.
An inexpensive and effective basis for monitoring rice areas using GIS and remote sensing. 1079
Barson M. M., Abraham B., Malcolm C. V.
Improving the productivity of saline discharge areas: an assessment of the potential use of saltbush in the Murray–Darling Basin. 1143
Barth G.
See Maier N. A. *et al.* 681
Batten G. D.
Concentrations of elements in wheat grains grown in Australia, North America and the United Kingdom. 51
Bayer D. E.
See Hill J. E. *et al.* 1021
Beavis G. W.
See Stockdale C. R. *et al.* 709
Beecher H. G.
Effects of saline irrigation water on soybean yield and soil salinity in the Murrumbidgee Valley. 85
See Lattimore M. E. *et al.* 459
See Cai L. *et al.* 1085
See Dunn B. W. *et al.* 967
Beecher H. G., Thompson J. A., Bacon P. E., Dunn B. W.
Soil nitrogen supply to rice: crop sequence effects. 987
Beecher H. G., Thompson J. A., Bacon P. E., Heenan D. P.
Effect of cropping sequences on soil nitrogen levels, rice growth and grain yields. 977
Belford R. K.
See Schmidt C. P. *et al.* 777
Bell A. B.
See Haines P. J. *et al.* 601
Bennell M.
See Maier N. A. *et al.* 681
Bernardi A. L.
See Gault R. R. *et al.* 401
Betteridge K.
See Jones R. J. *et al.* 349
Black A. S.
See Kealey L. M. *et al.* 1013

Black I. D.
See Pederson R. N. *et al.* 499
Blackshaw A. W.
See Blackshaw J. K. *et al.* 285
Blackshaw J. K., Blackshaw A. W.
Heat stress in cattle and the effect of shade on production and behaviour: a review. 285
Blennerhassett R. M.
See Edwards M. *et al.* 427
Blight, G. W.
See Barnes *et al.* 673
Boland R. M.
See Davis R. D. *et al.* 615, 621, 627
Bollich P. K., Lindau C. W., Norman R. J.
Management of fertiliser nitrogen in dry-seeded, delayed-flood rice. 1007
Boonyakiat D.
See Yuen C. *et al.* 123
Borg P. T.
See Smith K. F. *et al.* 609
Bound S. A.
See Jones K. M. *et al.* 127
See Oakford M. J. *et al.* 669
Bower C. C.
See Dodds K. A. *et al.* 431
Bowles J. E.
See Donald G. E. *et al.* 13, 19
Brady C.
See Williams M. H. *et al.* 1183
Brandon D. M.
See McKenzie *et al.* 897
Brechin J., McDonald G. K.
Effect of form and rate of pig manure on the growth, nutrient uptake and yield of barley (cv. Galleon). 505
Brennan J. P., Lewin L. G., Marshall G. R., Reinke R. F.
An economic assessment of rice breeding in New South Wales. 889
Brennan P. S.
Register of Australian winter cereal cultivars
Triticum aestivum ssp. *vulgare*
cv. Batavia 853
cv. Houtman 859
cv. Pelsart 864
cv. Rowan 866
cv. Tasman 872
Brockwell J.
See Barclay R. M. *et al.* 745
See Gault R. R. *et al.* 385, 401
Brouwer J.
See Hawthorne W. A. *et al.* 137
Brown M. A.
See Williams M. H. *et al.* 1183
Bryde N. J.
See Daniells J. W. *et al.* 259
Buchanan G.
See Edwards M. *et al.* 515
Buntain M., Chung B.
Effects of irrigation and nitrogen on the yield components of fennel (*Foeniculum vulgare* Mill.) 845
Burgess L. W.
See Nelson K. E. *et al.* 655
Butler L. G., Head G. M.
Photoperiodic rhythm of wool growth and its contribution to seasonal wool production by the Merino, Polwarth, and their reciprocal crosses in southern Australia. 311
Byth D. E.
See Garside A. L. *et al.* 647

Caffin N.
See Yuen C. *et al.* 123
Cai L., Prathapar S. A., Beecher H. G.
Modelling leaching and recharge in a bare transitional red brown earth ponded with low salinity water in summer. 1085
Callegarin A. M., Perfanov K., Dorotea G., Baldi G.
Utilisation of anther culture in rice (*Oryza sativa* L.) breeding in Italy. 911
Callinan A. P. L.
See Ramsey B. R. *et al.* 789
Chalk P. M.
See Chen D. L. *et al.* 75
Chapman J. C.
See Barnes J. A. *et al.* 673
Chen D. L., Freney J. R., Mosier A. R., Chalk P. M.
Reducing denitrification loss with nitrification inhibitors following presowing applications of urea to a cottonfield. 75
Chung B.
See Buntain M. 845
Clarke G. R.
See Vezvaei A. *et al.* 511
Clem R. L., Hall T. J.
Persistence and productivity of tropical pasture legumes on three cracking clay soils (Vertisols) in north-eastern Queensland. 161
Collins R. J.
See George A. P. *et al.* 267
Conlan D. J., Dear B. S., Coombes N. E.
Effect of grazing intensity and number of grazings on herbage production and seed yields of *Trifolium subterraneum*, *Medicago murex*, and *Ornithopus compressus*. 181
Considine J. A.
See Akilan K. *et al.* 1217
Cook A. S.
See Lodge G. M. *et al.* 479, 753
Coombes N. E.
See Conlan D. J. *et al.* 181
Cooper K. V.
Register of Australian winter cereal cultivars
x *Triticosecale* cv. Abacus 851
Cother E. J., Gilbert R. J.
Efficacy of a potential mycoherbicide for control of *Alisma lanceolatum* and *Damasonium minus* in Australian rice crops. 1043
Cother E. J., Gilbert R. L.
Pathogenicity of *Rhynchosporium alismatis* and its potential as a mycoherbicide on several weed species in the Alismataceae. 1039
Cotterill P. J., Rees R. G., Platz G. J.
Response of Australian barley cultivars to leaf rust (*Puccinia hordei*). 783

Cowan R. T.
See McLachlan B. P. *et al.* 301
Cowling W. A.
See Williamson P. M. *et al.* 381
Cox W. J.
See Mason M. G. *et al.* 237, 247
Cresswell G. C.
See Sarooshi R. A. *et al.* 529
Critchley C.
See Underhill S. *et al.* 115
Croft P. H.
See Young R. R. *et al.* 189
Croker K. P., Allen J. G., Wood P. McR., Dhaliwal S.
Treatments of sweet narrow-leafed lupin crops to reduce phomopsin-induced liver damage (lupinosis) in Merino wether weaners. 139
Curtis K. M. S.
See Holst P. J. *et al.* 345
Curtis K. M. S., Holst P. J., Murray P. J.
Measuring supplement intake in the field using ytterbium as a marker. 339

Dahlenburg A. P.
See Maier N. A. *et al.* 813, 825
Dale M.
See Edwards M. *et al.* 515
Daniells J. W., Lisle A. T., Bryde N. J.
Effect of bunch trimming and leaf removal at flowering on maturity bronzing, yield, and other aspects of fruit quality of bananas in North Queensland. 259
Davis R. D., Boland R. M., Howitt C. J.
The developing relationship between *Stylosanthes* and anthracnose after 14 years in a North Queensland pasture.
1. Field survey. 615
2. Diversity in the pathogen population. 621
Davis R. D., Boland R. M., Lisle A. T.
The developing relationship between *Stylosanthes* and anthracnose after 14 years in a North Queensland pasture.
3. Diversity in the plant population. 627
Davison T. M.
See McLachlan B. P. *et al.* 301
Dawson I. A., King R. W.
Propagation of some woody Australian plants from cuttings. 1225
Dear B. S.
See Conlan D. J. *et al.* 181
Dhaliwal J. A.
See Röhl L. J. *et al.* 1209
Dhaliwal S.
See Croker K. P. *et al.* 139
See Johnson T. J. *et al.* 1107
Dilday R. H., Lin J., Yan W.
Identification of allelopathy in the USDA–ARS rice germplasm collection. 907
Dodds K. A., Penrose L. J., Bower C. C., Nicol, H.
The importance of pest and disease damage as a cause of commercial downgrading of apple fruit. 431
Dolling P. J., Porter W. M.
Acidification rates in the central wheatbelt of Western Australia. 1. On a deep yellow sand. 1155
Dolling P. J., Porter W. M., Rowland I. C.
Acidification rates in the central wheatbelt of Western Australia. 2. On a sandy duplex soil. 1165
Donald G. E., Langlands J. P., Bowles J. E., Smith A. J.
Subclinical selenium insufficiency.
5. Selenium status and the growth and wool production of sheep supplemented with thyroid hormones. 13
6. Thermoregulatory ability of perinatal lambs born to ewes supplemented with selenium and iodine. 19
Donnelly J. R.
See Freer M. *et al.* 1
Doogan V. J.
See Menzel C. M. *et al.* 803
Dorotea G.
See Callegarin A. M. *et al.* 911
Dove H.
See Freer M. *et al.* 1
Downes R. W.
Register of Australian herbage plant cultivars
Medicago sativa cv. Alfanafa. 299
Doyle A. D., Johnston R. P.
Register of Australian winter cereal cultivars
Hordeum vulgare cv. Kaputar 576
Drendel M. F.
See Gardner W. K. *et al.* 411
Dullahide S. R., Stirling G. R., Nikulin A., Stirling A. M.
The role of nematodes, fungi, bacteria and abiotic factors in the etiology of apple replant problems in the Granite Belt of Queensland. 1177
Dunn B. W.
See Beecher H. G. *et al.* 987
Dunn B. W., Beecher H. G.
Green manuring legume pasture for aerial sown rice. 967
Dwyer M. J.
See Shaw K. A. *et al.* 173
Dyson C. B.
See Pederson R. N. *et al.* 499

Edwards M., Blennerhassett R. M.
Evaluation of wax to extend the postharvest storage life of honeydew melons (*Cucumis melo* L. var. *inodorus* Naud.). 427
Edwards M., Predebon S., Dale M., Buchanan G.
The effect of cold disinfestation treatment on the quality of Washington navel oranges in Sunraysia. 515
Ehrlich W. K.
See McLachlan B. P. *et al.* 301
Ellison F. W.
Register of Australian winter cereal cultivars
Triticum aestivum ssp. *vulgare*
cv. Sunmist 868
cv. Sunstate 869

Felton W. L.
See Martin R. J. *et al.* 639
Felton W. L., Wicks G. A., Welsby S. M.
A survey of fallow practices and weed floras in wheat stubble and grain sorghum in northern New South Wales. 229
Fischer R. A., Kono Y., Howe G. N.
Direct drilling effects on early growth of wheat: studies in intact soil cores. 223

Fitz Gerald S. M., O'Brien R. G.
Validation of 'Downcast' in the prediction of sporulation–infection periods of *Peronospora destructor* in the Lockyer Valley. 537
FitzGerald R. D.
Evaluation of legumes for introduction into native grass pastures on the North-west Slopes of New South Wales. 449
Flett S. P.
Studies on *Phytophthora clandestina*, the cause of taproot rot in subterranean clover. I. Evidence for physiological specialisation in *Phytophthora clandestina*. 1125
Flinn P. C.
See Smith K. F. *et al.* 609
Fowler D. G.
See Freer M. *et al.* 1
Franz P. R.
See Sivapalan A. *et al.* 541
Freer M., Donnelly J. R., Axelsen A., Dove H., Fowler D. G.
Prime lamb production in relation to time of mating. 1
French R. J.
See Rowland I. C. *et al.* 641
French R. J., McCarthy K., Smart W. L.
Optimum plant population densities for lupin (*Lupinus angustifolius* L.) in the wheatbelt of Western Australia. 491
Freney J. R.
See Chen D. L. *et al.* 75
Fuss A. M.
See Röhl L. J. *et al.* 1209

Gale M. J.
See Hoy N. T. *et al.* 765
Gardener C. J.
See McIvor J. G. *et al.* 1113
Gardner W. K., Drendel M. F., McDonald G. K.
Effects of subsurface drainage, cultivation, and stubble retention on soil porosity and crop growth in a high rainfall area. 411
Garside A. L., Lawn R. J., Byth D. E.
Residual effects of irrigated soybean on the growth and yield of irrigated grain sorghum. 647
Gault R. R., Bernardi A. L., Thompson J. A., Andrews J. A., Banks L. W., Hebb D. M., Brockwell J.
Studies on alternative means of legume inoculation: appraisal of application of inoculant suspended in irrigation water (water-run inoculation). 401
Gault R. R., Pilka A., Hebb D. M., Brockwell J.
Nodulation studies on legumes exotic to Australia: symbiotic relationships between *Chamaecytisus palmensis* (tagasaste) and *Lotus* spp. 385
George A. P., Collins R. J., Nissen R. J.
Growth, yield, and fruit quality of two non-astringent persimmon (*Diospyros kaki*) cultivars, Izu and Fuyu, in subtropical Australia. 267
Gherardi S. G.
See Johnson T. J. *et al.* 1107
Gilbert M. A.
See Shaw K. A. *et al.* 173
Gilbert R. L.
See Cother E. J. *et al.* 1039, 1043
Gill G. S.
See Riley I. T. *et al.* 633
Gittens S. P.
See McDonald C. L. *et al.* 589
Glatz P. C., Lunam C. A.
Production and heart rate responses of chickens beak-trimmed at hatch or at 10 or 42 days of age. 443
Godwin D. C., Meyer W. S., Singh U.
Simulation of the effect of chilling injury and nitrogen supply on floret fertility and yield in rice. 921
Goodman R. D., Williams A. E.
Honeybee pollination of white clover (*Trifolium repens* Linn) cv. Haifa. 1121
Graham G. C.
See Tancred S. J. *et al.* 665
Graham G. C., Henry R. J., Redden R. J.
Identification of navy bean varieties using random amplification of polymorphic DNA. 1173
Gravois K. A., Helms R. S.
Effect of uneven emergence on rice yield, milling yield, and yield components. 949
Guerin L. J., Guerin T. F.
Constraints to the adoption of innovations in agricultural research and environmental management: a review. 549
Guerin T. F.
See Guerin L. J. *et al.* 549

Hacker J. B.
Seed production and its components in bred populations and cultivars of winter-green *Setaria sphacelata* at two levels of applied nitrogen fertiliser. 153
Haines P. J., Bell A. B., Thatcher L. P.
Evaluation of some factors involved in reducing browsing damage to eucalypt trees by sheep. 601
Hall B.
See Wicks T. J. *et al.* 277
Hall D. G.
See Holst P. J. *et al.* 345
Hall T. J.
See Clem R. L. *et al.* 161
Hall T. J., Walker R. W.
Selection of perennial grasses as a component of legume-based pastures on light-textured soils in the dry tropics of Queensland. 355
Hannam R. J.
See Pederson R. N. 499
Hare R. A.
Register of Australian winter cereal cultivars *Triticum turgidum* var. *durum* cv. Wollaroi 875
Hargreaves P. A.
See Walker S. R. *et al.* 67
Haskell M. J., Hutson G. D.
Pre-farrowing behaviour of sows and gilts with access to space for locomotion. 1099
Hawthorne W. A., Brouwer J.
Register of Australian grain legume cultivars *Cicer arietinum* cv. Desavic 137
Haydon G. F.
See Menzel C. M. *et al.* 803
Head G. M.
See Butler L. G. *et al.* 311

Hebb D. M.
See Barclay R. M. *et al.* 745
See Gault R. R. *et al.* 385, 401
Heenan D. P.
See Beecher H. G. *et al.* 977
See Thompson J. A. *et al.* 255
Effects of sowing time on growth and grain yield of lupin and field pea in south-eastern New South Wales. 1137
Helms R. S.
See Gravois K. A. *et al.* 949
Henry R. J.
See Graham G. C. *et al.* 1173
Hill J. E., Smith Jr R. J., Bayer D. E.
Rice weed control: current technology and emerging issues in the United States. 1021
Hodge T. J. V., Lewis D. C.
Influence of lime rate and particle size on soil pH and vegetative and seed yields of subterranean clover in the South East of South Australia. 367
Hollamby G. J.
Register of Australian winter cereal cultivars
Triticum aestivum ssp. *vulgare*
cv. Excalibur 857
cv. Stilletto 867
cv. Trident 873
Holst P. J.
See Curtis K. M. S. *et al.* 339
Holst P. J., Curtis K. M. S., Hall D. G.
Methods of feeding grain supplements and measuring their intake by adult sheep. 345
Horie T.
See Angus R. L. *et al.* 995
Howe G. N.
See Fischer R. A. *et al.* 223
Howitt C. J.
See Davis R. D. *et al.* 615, 621, 627
Hoy N. T., Gale M. J., Walsh K. B.
Revegetation of a scalded saline discharge zone in central Queensland. 1. Selection of tree species and evaluation of an establishment technique. 765
Huett D. O.
Production and quality of Sim carnations grown hydroponically in rockwool substrate with nutrient solutions containing different levels of calcium, potassium and ammonium-nitrogen. 691
Humphreys E.
See Kealey L. M. *et al.* 1013
Humphreys E., Meyer W. S., Prathapar S. A., Smith D. J.
Estimation of evapotranspiration from rice in southern New South Wales: a review. 1069
Hunt E. R.
Location and retention of transponders used for electronic identification of sheep. 741
Hutson G. D.
See Haskell M. J. *et al.* 1099

Imrie B. C.
See Lawn R. J. *et al.* 297

Jackson J. F.
See Vezvaei A. *et al.* 511

Jacobs B. C., Pearson C. J.
Cold damage and development of rice: a conceptual model. 917
Jacobs J. L., Zorrilla-Rios J.
Silage or hay based diets supplemented with different levels of grain for fattening cattle. 1093
Jerie P.
See Barrass I. C. *et al.* 1205
Jimenez R.
See Roger P. A. *et al.* 1057
Johns G. G.
Field evaluation of five clones of tissue-cultured bananas in northern New South Wales. 521
Effect of *Arachis pintoi* ground-cover on performance of bananas in northern New South Wales. 1197
Johnson C. W.
See McKenzie K. S. *et al.* 897
Johnson E. R.
Comparison of the prediction of carcass components using fat thickness measurements in heifers and steers. 435
Johnson T. J., Gherardi S. G., Dhaliwal S.
Diet quality affects the cashmere production and liveweight of Western Australian cashmere goats. 1107
Johnston R. P.
Register of Australian winter cereal cultivars
Hordeum vulgare
cv. Gilbert 575
cv. Tallon 579
See Doyle A. D. *et al.* 576
Johnstone P. K.
See Jolley A. V. *et al.* 57
Jolley A. V., Johnstone P. K.
Degradation of trifluralin in three Victorian soils under field and laboratory conditions. 57
Jones K. M.
See Oakford M. J. *et al.* 669
Jones K. M., Bound S. A., Oakford M. J., Wilson D.
A strategy for reducing russet in Red Fuji apples while maintaining control of black spot (*Venturia inaequalis*). 127
Jones R. J., Betteridge K.
Effect of superphosphate, or its component elements (phosphorus, sulfur, calcium), on the grazing preference of steers on a tropical grass–legume pasture grown on a low phosphorus soil. 349
Judson G. J.
See Archer J. A. *et al.* 581
Jund M. F.
See Turner F. T. *et al.* 1001

Kealey L. M., Humphreys E., Black A. S., Muirhead W. A.
Presowing nitrogen fertiliser management for aerial sown rice on puddled soil. 1013
King R. W.
See Dawson I. A. *et al.* 1225
Kingston R. W.
Register of Australian winter cereal cultivars
Hordeum vulgare cv. Namoi 578
Klein L.
See Rossiter R. C. the late, *et al.* 25

Knight R.
See McDonald G. K. *et al.* 395
Kono Y.
See Fischer R. A. *et al.* 223

Lamont B. B.
See Röhl L. J. *et al.* 1209
Langlands J. P.
See Donald G. E. *et al.* 13, 19
Lattimore M. E.
Pastures in temperate rice rotations of south-eastern Australia. 959
Lattimore M. E., Beecher H. G., O'Callaghan K. L.
Establishment and early growth after rice of subterranean clover (*Trifolium subterraneum*), Persian clover (*T. resupinatum*), balansa clover (*T. michelianum*), and white clover (*T. repens*). 459
Lattimore M. E., Thompson J. A., O'Callaghan K. L.
Irrigation frequency for white clover and lucerne on a cracking clay in the Murrumbidgee Valley, New South Wales. 41
Lawn R. J.
See Garside A. L. *et al.* 647
Lawn R. J., Imrie B. C.
Register of Australian oilseed cultivars
Glycine max cv. Leichhart 297
Lee C. K.
See Smith K. F. *et al.* 609
Lewin L. G.
See Brennan J. P. *et al.* 889
See Reinke R. F. *et al.* 933, 939
See Angus J. F. *et al.* 995
Lewis D. C.
See Hodge T. J. V. *et al.* 367
Lewis G. J., Thurling N.
Growth, development, and yield of three oilseed *Brassica* species in a water-limited environment. 93
Lin J.
See Dilday R. H. *et al.* 907
Lindau C. W.
See Bollich P. K. *et al.* 1007
Lisle A. T.
See Daniells J. W. *et al.* 259
See Davis *et al.* 627
Lodge G. M.
Characterisation of naturalised strains of *Trifolium subterraneum* var. *brachycalycinum* cv. Clare in northern New South Wales. 33
Lodge G. M., McMillan M. G.
Effects of herbicides on wallaby grass (*Danthonia* spp.). 2. Established plants. 759
Lodge G. M., McMillan M. G., McCormick L. H., Cook A. S.
Effects of glyphosate, flupropanate and 2,2-DPA on *Hyparrhenia hirta* (L.) Stapf (Coolatai grass). 479
Lodge G. M., McMillan M. G., Schipp A. J., Cook A. S.
Effects of herbicides on wallaby grass (*Danthonia* spp.). 1. Establishment. 753
Lunam C. A.
See Glatz P. C. *et al.* 443
Lyons D. J.
See Olsen J. K. *et al.* 835

Maier N. A., Barth G., Bennell M.
Effect of nitrogen, potassium and phosphorus on the yield, growth and nutrient status of Ixodia daisy (*Ixodia achillaeioides* ssp. *alata*). 681
Maier N. A., Dahlenburg A. P., Williams C. M. J.
Effects of nitrogen, phosphorus, and potassium on yield, specific gravity, crisp colour, and tuber chemical composition of potato (*Solanum tuberosum* L.) cv. Kennebec. 813
Effect of nitrogen, phosphorus, and potassium on yield and petiolar nutrient concentration of potato (*Solanum tuberosum* L.) cvv. Kennebec and Atlantic. 825
Mailer R. J.
See Wratten N. *et al.* 298
Malcolm C. V.
See Barson M. M. *et al.* 1143
Margan D. E.
Energy and protein value of lupin seed as a production ration or as a supplement for sheep fed chaffed wheaten hay. 331
Margan D. E., Moran J. B., Spence F. B.
The energy and protein value of combinations of maize silage and red clover hay for ruminants, using adult sheep as a model. 319
Marley J. M. T.
See Walker S. R. *et al.* 67
Marshall G. R.
See Brennan J. P. *et al.* 889
Marshall J. K.
See Akilan K. *et al.* 1217
Martin P. J.
Register of Australian winter cereal cultivars
Triticum aestivum ssp. *vulgare*
cv. Beulah 855
cv. Goroke 858
cv. Katunga 862
cv. Ouyen 863
cv. Vectis 874
Martin R. J., Felton W. L.
Reply to the Comment, by R. W. Medd: Methodology for estimating wild oat seed production and the seed bank. 639
Mason M. G.
See Rowland I. C. *et al.* 641
Mason M. G., Porter W. M., Cox W. J.
Effect of an acidifying nitrogen fertiliser and lime on soil pH and wheat yields.
1. Soil effects. 237
2. Plant response. 247
Mathews G. L.
See McGowan A. A. *et al.* 487
McCarthy K.
See French R. J. *et al.* 491
McCormick L. H.
See Lodge G. M. *et al.* 479
McDaniel M. E., Barr A. R.
Register of Australian winter cereal cultivars
Avena sativa cv. Bettong 701
McDonald C. L., Rowe J. B., Gittens S. P.
Feeds and feeding methods for assembly of sheep before export. 589
McDonald D. J.
Temperate rice technology for the 21st century — an Australian example. 877

McDonald G. K.
See Brechin J. *et al.* 505
See Gardner W. K. *et al.* 411
McDonald G. K., Adisarwanto T., Knight R.
Effect of time of sowing on flowering in faba bean (*Vicia faba*). 395
McGowan A. A., Mathews G. L.
Effect of inter-row spacing on the production of tagasaste and associated pastures. 487
McIvor J. G., Gardener C. J.
Germinable soil seed banks in native pastures in north-eastern Australia. 1113
McKenzie K. S., Johnson C. W., Tseng S. T., Oster J. J., Brandon, D. M.
Breeding improved rice cultivars for temperate regions: a case study. 897
McLachlan B. P., Ehrlich W. K., Cowan R. T., Davison T. M., Silver B. A., Orr W. N.
Effect of level of concentrate feeding once or twice daily on the milk production of cows grazing tropical pasture. 301
McLean R.
Register of Australian winter cereal cultivars
Avena sativa
cv. Carrolup 703
cv. Yilgarn 708
McMillan M. G.
See Lodge G. M. *et al.* 479, 753, 759
Medd R. W.
Methodology for estimating wild oat seed production and the seed bank. *Comment on* 'Effect of crop rotation, tillage practice, and herbicides on the population dynamics of wild oats in wheat', by R. J. Martin and W. L. Felton (*Aust. J. Exp. Agric.* **33**, 159–65). 637
Menzel C. M., Haydon G. F., Doogan V. J., Simpson D. R.
Time of nitrogen application and yield of Bengal lychee on a sandy loam soil in subtropical Queensland. 803
Meyer W. S.
See Godwin D. C. *et al.* 921
See Humphreys E. *et al.* 1069
Moldenhauer K. A. K.
See Moldenhauer P. M. *et al.* 953
Moldenhauer P. M., Moldenhauer K. A. K.
A method to evaluate lodging potential in rice cultivars based on elastic stability theory. 953
Moody D. B.
Register of Australian winter cereal cultivars
Hordeum vulgare cv. Arapiles 573
Moran J. B.
See Margan D. E. *et al.* 319
Morgan W. C.
See Asirifi K.-N. *et al.* 131
See Sivapalan A. *et al.* 541
Morthorpe K. J.
See Young R. R. *et al.* 189
Mosier A. R.
See Chen D. L. *et al.* 75
Muirhead W. A.
See Kealey L. M. *et al.* 1013
Mulder J. C.
See Rathie K. A. *et al.* 717, 729
Murray P. J.
See Curtis K. M. S. *et al.* 339

Nelson K. E., Burgess L. W.
Reaction of Australian cultivars of oats and barley to infection by *Fusarium graminearum* Group 1. 655
Nichols P. G. H.
See Barbetti M. J. *et al.* 1131
Nicol, H.
See Dodds *et al.* 431
Nicol H. I.
See Young R. R. *et al.* 189
Nikulin A.
See Dullahide S. R. *et al.* 1177
Nissen R. J.
See George A. P. *et al.* 267
Norman R. J.
See Bollich P. K. *et al.* 1007
O'Brien R. G.
See Fitz Gerald S. M. *et al.* 537
O'Callaghan K. L.
See Lattimore M. E. *et al.* 41, 459
O'Donnell W. E.
See Stanton J. M. *et al.* 105
O'Kelly J. C., Spiers W. G.
Effect of lithium chloride intake in drinking water on bulls fed lucerne hay. 307
Thyroid hormone concentrations in the plasma of fed and fasted Brahman and Hereford Steers. 439
Oakford M. J.
See Jones K. M. *et al.* 127
Oakford M. J., Jones K. M., Bound S. A., O'Reilly, L.
A comparison of air-shear and electrostatic spray technology with a conventional air-blast sprayer to thin apples. 669
Oficial R.
See Roger P. A. *et al.* 1057
Ohnishi M.
See Angus J. F. *et al.* 995
Olsen J. K., Lyons D. J.
Petiole sap nitrate is better than total nitrogen in dried leaf for indicating nitrogen status and yield of capsicum in subtropical Australia. 835
O'Reilly, L.
See Oakford M. J. *et al.* 669
Orr W. N.
See McLachlan B. P. *et al.* 301
Oster J. J.
See McKenzie K. S. *et al.* 897

Parbery D. G.
See Asirifi K.-N. *et al.* 131
Pearson C. J.
See Jacobs B. C. *et al.* 917
Pederson R. N., Black I. D., Dyson C. B., Hannam R. J.
Effects of the herbicide metsulfuron-methyl on root length, nutrient levels, grain protein, and yield of barley. 499
Perfanov K.
See Callegarin A. M. *et al.* 911
Penrose L. J.
See Dodds K. A. *et al.* 431

Pezzaniti P.
See Wicks T. J. *et al.* 277
Pilka A.
See Gault R. R. *et al.* 385
Pinkerton A., Randall P. J.
Internal phosphorus requirements of six legumes and two grasses. 373
Critical potassium concentrations in *Trifolium balansae*, *Medicago murex* and *Trifolium subterraneum* as affected by sampling date. 469
Platz G. J.
See Cotterill P. J. *et al.* 783
Porter W. M.
See Dolling P. J. *et al.* 1155, 1165
See Mason M. G. *et al.* 237, 247
Portmann P.
Register of Australian winter cereal cultivars
Hordeum vulgare cv. Morrell 577
Prathapar S. A.
See Barrs H. D. *et al.* 1079
See Cai L. *et al.* 1085
See Humphreys E. *et al.* 1069
Predebon S.
See Edwards M. *et al.* 515
Pritchard I. A.
See Rowland I. C. *et al.* 641

Ramsey B. R., Callinan A. P. L.
Effects of nitrogen fertiliser on canola production in north central Victoria. 789
Ramsey M. D.
See Schipke L. G. *et al.* 109
Randall P. J.
See Pinkerton A. *et al.* 373, 469
Rathie K. A., Teasdale C. K.
Assessing Wiltshire Horn–Merino crosses
3. The 50% Wiltshire Horn as a prime lamb producer. 733
Rathie K. A., Tierney M. L., Mulder J. C.
Assessing Wiltshire Horn–Merino crosses.
1. Wool shedding, blowfly strike and wool production traits. 717
2. Reproductive traits. 729
Redden R. J.
See Graham G. C. *et al.* 1173
Rees R. G.
See Cotterill P. J. *et al.* 783
Reinke R. F.
See Brennan J. P. *et al.* 889
Reinke R. F., Lewin L. G., Williams R. L.
Effect of sowing time and nitrogen on rice cultivars of differing growth duration in New South Wales.
1. Yield and yield components. 933
2. Biomass production and partitioning. 939
Riley I. T.
Phosphorus nutrition of large-seeded chickpea cv. Macarena (*Cicer arietinum*) in the Ord River Irrigation Area, Western Australia. 797
Riley I. T., Gill G. S.
Relationship between herbicide resistance in *Lolium rigidum* and populations of *Anguina funesta*, the nematode vector in annual ryegrass toxicity. 633
Roberts G. L.
Register of Australian winter cereal cultivars
Avena sativa cv. Bimbil. 702
Robinson G. R.
See Walker S. R. *et al.* 67
Roger P. A., Simpson I., Oficial R., Ardales S., Jimenez R.
Effects of pesticides on soil and water microflora and mesofauna in wetland ricefields: a summary of current knowledge and extrapolation to temperate environments. 1057
Röhl L. J., Fuss A. M., Dhaliwal J. A., Webb M. G., Lamont B. B.
Investigation of flowering in *Banksia baxteri* R. Br. and *B. hookeriana* Meissner for improving pruning practices. 1209
Rose J. L.
Register of Australian winter cereal cultivars
Avena sativa
cv. Amby 699
cv. Culgoa 704
cv. Nobby 705
Rossiter R. C. the late, Taylor G. B., Klein L.
Environmental effects, in particular of rainfall, on the digestibility of dry mature subterranean clover. 25
Rowe J. B.
See McDonald C. L. *et al.* 589
Rowland I. C.
See Dolling P. J. *et al.* 1165
Rowland I. C., Mason M. G., Pritchard I. A., French R. J.
Effect of field peas and wheat on the yield and protein content of subsequent wheat crops grown at several rates of applied nitrogen. 641
Russell J. S.
Soil treatment, plant species and management effects on improved pastures on a solodic soil in the semi-arid subtropics. 3. Improving cool season plant and cattle productivity. 145

Sanders B. A.
The need for understanding the life cycle of the rice weed *Cyperus difformis*. 1031
Sarooshi R. A., Cresswell G. C.
Effects of hydroponic solution composition, electrical conductivity and plant spacing on yield and quality of strawberries. 529
Sarooshi R. A., Weir R. G., Barchia I. M.
Soil pH, extractable phosphorus, and exchangeable cations as affected by rates of fertiliser nitrogen, phosphorus, and potassium applied over a number of years to Valencia orange trees. 419
Schipke L. G., Ramsey M. D.
Control of banana burrowing nematode (*Radopholus similis*) by fenamiphos applied through micro-irrigation in North Queensland. 109
Schipp A. J.
See Lodge G. M. *et al.* 753
Schmidt C. P., Belford R. K.
Increasing the depth of soil disturbance increases yields of direct drilled wheat on the sandplain soils of Western Australia. 777

Shaw K. A., Gilbert M. A., Armour J. D., Dwyer M. J.
Residual effects of phosphorus fertiliser in a stylo–native grass pasture on a duplex red earth soil in the semi-arid tropics of North Queensland. 173
Silver B. A.
See McLachlan B. P. *et al.* 301
Simpson D. R.
See Menzel C. M. *et al.* 803
Simpson I.
See Roger P. A. *et al.* 1057
Singh U.
See Godwin D. C. *et al.* 921
Sivapalan A., Morgan W. C., Franz P. R.
Effect of inoculating fungi into compost on growth of tomato and compost microflora. 541
Sivasithamparam K.
See Williamson P. M. *et al.* 381
Smart W. L.
See French R. J. *et al.* 491
Smith A. J.
See Donald G. E. *et al.* 13, 19
Smith, D. J.
See Humphreys E. 1069
Smith K. F., Lee C. K., Borg P. T., Flinn P. C.
Yield, nutritive value, and phenotypic variability of tall wheatgrass grown in a nonsaline environment. 609
Smith Jr R. J.
See Hill J. E. *et al.* 1021
Sparrow D. H. B.
Register of Australian winter cereal cultivars *Hordeum vulgare* cv. Chebec 574
Spence F. B.
See Margan D. E. *et al.* 319
Spiers W. G.
See O'Kelly J. C. *et al.* 307, 439
Stanton J. M., O'Donnell W. E.
Hatching, motility, and infectivity of root-knot nematode (*Meloidogyne javanica*) following exposure to sodium hypochlorite. 105
Stevens M. M.
Emergence phenology of *Chironomus tepperi* Skuse and *Procladius paludicola* Skuse (Diptera: Chironomidae) during rice crop establishment in southern New South Wales. 1051
Stevens M. M., Warren G. N.
Field evaluation of plaster-based temephos pellets for residual control of midge larvae (Diptera: Chironomidae) in establishing rice crops. 659
Stirling A. M.
See Dullahide S. R. *et al.* 1177
Stirling G. R.
See Dullahide S. R. *et al.* 1177
Stockdale C. R.
Effects of defoliation management on the productivity of an irrigated Persian clover sward. 205
Influence of defoliation on some aspects of regrowth and senescence of Persian clover herbage grown in pots. 213
Stockdale C. R., Beavis G. W.
Nutritional evaluation of whole plant maize ensiled at three chop lengths and fed to lactating dairy cows. 709
Tancred S. J., Zeppa A. G., Graham G. C.
The use of the PCR-RAPD technique in improving the plant variety rights description of a new Queensland apple (*Malus domestica*) cultivar. 665
Taylor G. B.
See Rossiter R. C. the late, *et al.* 25
Teasdale C. K.
See Rathie K. A. *et al.* 733
Thatcher L. P.
See Haines P. J. *et al.* 601
Thompson J. A.
See Beecher H. G. *et al.* 977, 987
See Gault R. R. *et al.* 401
See Lattimore M. E. *et al.* 41
Thompson J. A., Heenan D. P.
Effect of sowing time on growth, yield, and oil characteristics of irrigated sunflower in southern New South Wales. 255
Thurling N.
See Lewis G. J. *et al.* 93
Tierney M. L.
See Rathie K. A. *et al.* 717, 729
Tseng S. T.
See McKenzie K. S. *et al.* 897
Turner F. T., Jund M. F.
Assessing the nitrogen requirements of rice crops with a chlorophyll meter. 1001
Tyson C. J.
Register of Australian winter cereal cultivars *Triticum aestivum* ssp. *vulgare* cv. Hybrid Pulsar 861

Underhill S., Critchley C.
Anthocyanin decolorisation and its role in lychee pericarp browning. 115

Vawdrey L. L.
Evaluation of fungicides and cultivars for control of gummy stem blight of rockmelon caused by *Didymella bryoniae*. 1191
Vesk M.
See Williams M. H. *et al.* 1183
Vezvaei A., Clarke G. R., Jackson J. F.
Characterisation of Australian almond cultivars and comparison with Californian cultivars by isozyme polymorphism. 511
Vogt W. G., Woodburn T. L.
Effects of bait age on the number, sex and age composition of *Lucilia cuprina* (Wiedemann) (Diptera: Calliphoridae) in Western Australian blowfly traps. 595

Walker R. W.
See Hall T. J. *et al.* 355
Walker S. R., Marley J. M. T., Robinson G. R., Hargreaves P. A.
Initial activity of atrazine and chlorsulfuron residues is greater in the grey clays than in the black earths of southern Queensland. 67
Wallwork H.
Register of Australian winter cereal cultivars *Triticum vulgare* spp. *vulgare* cv. Angas 852

Walsh K. B.
See Hoy N. T. *et al.* 765
Ward S. A.
See Barrass I. C. *et al.* 1205
Warren G. N.
See Stevens M. M. *et al.* 659
Webb M. G.
See Röhl L. J. *et al.* 1209
Weir R. G.
See Sarooshi R. A. *et al.* 419
Welsby S. M.
See Felton W. L. *et al.* 229
Wicks G. A.
See Felton W. L. *et al.* 229
Wicks T. J., Hall B., Pezzaniti P.
Fungicidal control of anthracnose (*Microdochium panattonianum*) on lettuce. 277
Williams A. E.
See Goodman R. D. *et al.* 1121
Williams C. M. J.
See Maier N. A. *et al.* 813, 825
Williams M. H., Brown M. A., Vesk M., Brady C.
Effect of post harvest heat treatments on fruit quality, surface structure and fungal disease in Valencia oranges. 1183
Williams R. L.
See Reinke R. F. *et al.* 933, 939
Williams R. L., Angus J. F.
Deep floodwater protects high-nitrogen rice crops from low temperature damage. 927
Williamson P. M., Sivasithamparam K., Cowling W. A.
Increased calcium concentration in narrow-leafed lupin epidermal tissue reduces infection by *Diaporthe toxica*. 381
Wilson D.
See Jones K. M. *et al.* 127
Wood P. McR.
See Croker K. P. *et al.* 139
Woodburn T. L.
See Vogt W. G. *et al.* 595
Wratten N., Mailer R. J.
Register of Australian oilseed cultivars *Brassica napus* var. napus cv. Oscar. 298

Yan W.
See Dilday R. H. *et al.* 907
Young R. R., Morthorpe K. J., Nicol H. I., Croft P. H.
Effects of sowing time and grazing on the dry matter yield, phenology, seed yield and hardseed levels of annual pasture legumes in western New South Wales. 189
Yuen C., Caffin N., Boonyakiat D.
Effect of calcium infiltration on ripening of avocados of different maturities. 123

Zeppa A. G.
See Tancred S. J. *et al.* 665
Zischke B. H.
See Barnes J. A. *et al.* 673
Zorrilla-Rios J.
See Jacobs J. L. *et al.* 1093